


- LEGEND**
- Capped Pin Set
  - ▲ RR Spike Set Unless Otherwise Noted
  - Iron Pipe Found (As Noted)
  - Property Line
  - Overhead Utilities
  - ⊕ P.P. Power Pole
  - Chain Link Fence
- 114121.002 City Assessment Number

- NOTES**
1. Unauthorized alteration or addition to a survey map bearing a licensed land surveyor's seal is a violation of Section 2209, Subdivision 2, of the New York State Education Law.
  2. Subsurface and environmental conditions were not examined or considered as a part of this survey. No statement is made concerning the existence of underground or overhead containers or facilities that may affect the use or development of this tract.
  3. Surveyor has made no investigation or independent search for easements of record, encumbrances, restrictive covenants, ownership title evidence, or any other facts that an accurate and current abstract title search may disclose.

- SUPPORTING NYS CODE DATA FOR PROPERTY LINE**
1. Maximum area of exterior wall openings per Table 704.8
  2. Unprotected, Distance greater than 25' to 30'
  3. Distance = 28'±
  4. Garage door openings 242 SF±
  5. Exterior wall area 784 SF
  6. Actual percentage of opening 32.4%
  7. Maximum percentage permitted 70% per Table 704.8

- DEED REFERENCES**
- Parcel 114121.002 — Community Center for Alcoholism of Jefferson County, Inc. to Community Center for Alcoholism of Jefferson County, Inc. L. 1437 P. 211 Recorded January 11, 1995
- Parcel 114126 — Jefferson Hostels, Inc. to Community Center Foundation, Inc. Instrument No. 2006-8981 Recorded June 2, 2006

- REFERENCES**
1. Survey map prepared by GYMO for Black Clawson Co. Inc. a provided electronically January 26, 2006.
  2. Survey map titled "Survey of Portion of Lands of Taggart Paper Mills, Inc." prepared by Lafave, White & McGivern dated August 20, 1974.



**EXISTING SITE PLAN**

**THE BERNIER CARR GROUP**  
**engineers • architects • planners • surveyors • construction managers**

**EXISTING SITE PLAN**  
**CREDO COMMUNITY CENTER**  
**OUTPATIENT CLINIC**  
**ADDITIONS AND MODIFICATIONS**  
 Watertown - Jefferson County - State of New York

Revisions:  
 1)


THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE & NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES.

Drawn By JBE	Checked By MJC
Scale AS NOTED	Date 11-03-09
File No. 2008-096	
Sheet No.	

C1-100

PRINTED FOR BID

- LEGEND**
- Capped Pin Set
  - ▲ RR Spike Set Unless Otherwise Noted
  - Iron Pipe Found (As Noted)
  - Property Line
  - Overhead Utilities
  - Power Pole
  - Chain Link Fence
  - Existing Water Line
  - Existing Sanitary Sewer
  - Existing Storm Sewer
  - Existing Gas Line
- 114121.002 City Assessment Number



**DEMOLITION PLAN**  
SCALE 1"=20'

**BUILDING DEMOLITION NOTES**

1. ALL AREAS OF DEMOLITION TO BE REMOVED TO A MINIMUM OF 2'-0" BELOW GRADE. EXCAVATED AREAS AS A RESULT OF BUILDING DEMOLITION SHALL BE PROPERLY FILLED TO MATCH EXISTING GRADE WITH GENERAL FILL AS DESCRIBED IN SECTION 31 2323 FILL.
2. EXISTING FOUNDATIONS WITHIN FOOT PRINT OF NEW BUILDING FOUNDATIONS SHALL BE EXCAVATED TO AN ELEVATION OF 5'-0" BELOW THE NEW BASEMENT FINISH FLOOR ELEVATION OF THE NEW BUILDING. NEW BUILDING BASEMENT FINISH ELEVATION SHALL BE 401.10' ±. IF ROCK IS ENCOUNTERED FILL FROM TOP OF ROCK TO LEVEL OF ADJACENT SURROUNDING GRADES.
3. COORDINATE DEMOLITION ACTIVITIES WITH ASBESTOS ABATEMENT ACTIVITIES AND WITH OWNER'S ACTIVITIES AND ACCESS TO OTHER PORTIONS OF THE PROJECT SITE.
4. FILL SHALL MATCH TOPOGRAPHY OF ADJACENT SURROUNDING AREAS AND COMPACTED TO A DENSITY AS REQUIRED IN SECTION 31 2323

**ASBESTOS WORK AREA #1 - MAIN BUILDING**

1. PRIOR TO THE BUILDING DEMOLITION THE CONTRACTOR SHALL:
  - A. REMOVE AND DISPOSE OF ASBESTOS CONTAINING (GREY) CAULK ON ONE EXTERIOR METAL DOOR FRAME AND METAL DOOR WITH ASBESTOS CONTAINING INSULATION (INTERIOR AND EXTERIOR). THE CAULK AND INSULATION ARE AS IDENTIFIED IN THE PRE-DEMOLITION ASBESTOS BUILDING SURVEY PREPARED BY STRATEGIC ENVIRONMENTAL LLC, DATED MAY, 2009.
  - B. THE CONTRACTOR SHALL CLEAN ANY AND ALL DEBRIS WHICH MAY BE PRESENT AS A RESULT OF THE DETERIORATION OF THE CAULK COMPOUND.
  - C. REMOVE AND DISPOSE OF THE EXISTING FURNACE AND ASBESTOS CONTAINING BROWN FURNACE GASKET.
  - D. REMOVE AND DISPOSE OF ASBESTOS CONTAINING GRAY TRANSITE WALL PANEL NEAR BATHROOM ENTRANCE AS IDENTIFIED.
  - E. REMOVE AND DISPOSE OF ASBESTOS CONTAINING TRANSITE CHIMNEY AS IDENTIFIED.

**GENERAL ASBESTOS ABATEMENT NOTES:**

1. THE INFORMATION PROVIDED WITH RESPECT TO HAZARD ASSESSMENT, QUANTITIES AND LOCATIONS OF ASBESTOS CONTAINING MATERIALS WERE DERIVED FROM THE OWNERS LIMITED HAZARDOUS MATERIALS TESTING REPORT PREPARED BY STRATEGIC ENVIRONMENTAL LLC BALDWINVILLE OF NEW YORK, INC. JAN. 2008. THE DOCUMENTS ARE AVAILABLE TO THE CONTRACTOR AND GENERAL PUBLIC FOR REVIEW. THE OWNER AND THE ENGINEER, AS OWNER'S REPRESENTATIVE, DISCLAIM RESPONSIBILITY FOR ANY OPINIONS, CONCLUSIONS, INTERPRETATIONS, OR DEDUCTIONS THAT MAY BE EXPRESSED OR IMPLIED OF THE INFORMATION MADE AVAILABLE. IT IS EXPRESSLY UNDERSTOOD THAT THE MAKING OF DEDUCTIONS, INTERPRETATIONS AND CONCLUSIONS FOR ALL THE ACCESSIBLE FACTUAL INFORMATION IS SOLELY THE CONTRACTOR'S RESPONSIBILITY.
2. THE WORK AREAS AND ADJACENT PROPERTIES SHOWN ON THIS ASBESTOS DRAWING ARE INCLUDED THEREIN FOR INFORMATION PURPOSES ONLY. THE CONTRACTOR RESPONSIBLE FOR THE ASBESTOS ABATEMENT IS RESPONSIBLE FOR FIELD VERIFYING MEASUREMENTS PRIOR TO BIDDING.
3. ALL MOVEABLE ITEMS WITHIN THE WORK AREAS SHALL BE MOVED AND STORED BY THE OWNER. ALL BUILT-IN ITEMS REQUIRING REMOVAL FOR THE PERFORMANCE OF THE ASBESTOS ABATEMENT WORK WILL BE REMOVED BY THE CONTRACTOR.
4. THE ADJOINING PROPERTIES WILL REMAIN OCCUPIED IN PART DURING THE ASBESTOS ABATEMENT AND DEMOLITION PROCESS AND THEREFORE WORK MUST BE COORDINATED ACCORDINGLY.
5. THE CONTRACTOR SHALL PERFORM ALL WORK IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL RULES AND REGULATIONS PERTAINING TO ASBESTOS ABATEMENT WORK.
6. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO PROTECT ALL EXISTING VEGETATION AND PAVED AREAS DURING THE ABATEMENT AND DEMOLITIONS PROCESS.
7. LOCATION OF DECONTAMINATION ENCLOSURES FOR SPECIFIED WORK AREAS SHALL BE COORDINATED WITH AIR MONITOR / PROJECT MONITOR AND ENGINEER.
8. ALL ASBESTOS ABATEMENT WORK SHALL BE COMPLETED PRIOR TO DEMOLITION WORK WITHIN THE RESPECTIVE WORK AREAS.
9. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH NYS CODE RULE 56 AMENDED MARCH 21, 2007 INCLUDING GUIDANCE DOCUMENT 2.0 DATED JANUARY 30, 2009.
10. THE CONTRACTOR SHALL COORDINATE ASBESTOS ABATEMENT ACTIVITIES WITH THE WORK DESCRIBED ON THE OTHER SHEETS OF THE CONSTRUCTION DOCUMENTS.
11. THE ASBESTOS ABATEMENT CONTRACTOR IS RESPONSIBLE FOR OBTAINING ANY SPECIFIC VARIANCES FOR HIS WORK. THE VARIANCE SHALL BE SUBMITTED TO THE ASBESTOS DESIGNER OF RECORD FOR REVIEW PRIOR TO SUBMITTAL TO THE NYSDOH.
12. UPON COMPLETION AND SATISFACTORY CLEARANCE / INSPECTION, THE CONTRACTOR SHALL TEMPORARILY SECURE ALL OPENINGS IN THE BUILDINGS UNTIL DEMOLITION IS COMPLETE.

- NOTES:**
1. CONTRACTOR SHALL VERIFY TYPE & LOCATION OF ALL UNDERGROUND UTILITIES IN ACCORDANCE W/ 16 NYCRR PART 753 & CITY OF WATERTOWN REQUIREMENTS.
  2. CONTRACTOR SHALL PROTECT EXISTING SITE FEATURES TO REMAIN DURING CONSTRUCTION.
  3. CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING & MAINTAINING APPROPRIATE TRAFFIC CONTROL & WORK SITE SECURITY DURING CONSTRUCTION.

**THE BERNIER CARR GROUP**  
 BERNIER, CARR & ASSOCIATES, P.C. • ARCHITECTURE + ENGINEERING, P.C.  
 engineers • architects • planners • surveyors • construction managers  
 COPYRIGHT 2009 - BERNIER CARR & ASSOCIATES, P.C. ALL RIGHTS RESERVED. REUSE OF THESE DOCUMENTS WITHOUT THE EXPRESS WRITTEN PERMISSION OF BERNIER, CARR & ASSOCIATES, P.C. IS PROHIBITED. WARNING - IT IS A VIOLATION OF ARTICLE 145 SECTIONS 7200 AND 7207 OF THE NEW YORK STATE EDUCATION LAW FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A REGISTERED PROFESSIONAL ENGINEER, ARCHITECT, PLANNER, SURVEYOR, OR LANDSCAPE ARCHITECT, TO REPRODUCE, ALTER, OR TRANSMIT IN ANY MANNER, IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE EXPRESS WRITTEN PERMISSION OF BERNIER, CARR & ASSOCIATES, P.C.

---

**DEMOLITION PLAN**  
**CREDO COMMUNITY CENTER**  
**OUTPATIENT CLINIC**  
**ADDITIONS AND MODIFICATIONS**  
 Watertown - Jefferson County - State of New York

---

Revisions:  
 1)

---

THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE & NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES.

---


Drawn By: JBE  
 Scale: AS NOTED  
 File No.: 2008-096  
 Sheet No.:

---

Checked By: MJC  
 Date: 11-03-09

---

**C1-101**  
 PRINTED FOR BID



- LEGEND**
- Capped Pin Set
  - ▲ RR Spike Set Unless Otherwise Noted
  - Iron Pipe Found (As Noted)
  - Property Line
  - Overhead Utilities
  - ⊕ P.P. Power Pole
  - Chain Link Fence
  - Existing Water Line
  - Existing Sanitary Sewer
  - Existing Storm Sewer
  - Existing Gas Line
  - 114121.002 City Assessment Number
  - NEW CATCH BASIN
  - NEW CONTOUR
  - NEW STORM SEWER LINE
  - NEW SILT FENCE
  - NEW UNDERGROUND ELECTRIC
  - ⊕ NEW LIGHT POLE
  - NEW ACER FREEMANII 'CELEBRATION' SUGAR MAPLE
  - NEW PICEA PUNGENS 'FAT ALBERT' BLUE SPRUCE
  - NEW PICEA PUNGENS COLORADO BLUE SPRUCE
  - NEW AMELANCHIER X GRANDIFLORA 'AUTUMN BRILLIANCE'

- NOTES:**
1. PROPOSED BUILDING ADDITION TO BE SERVED BY EXISTING UTILITIES AT MAIN BUILDING, NO NEW UTILITIES.
  2. NEW EXTERIOR ILLUMINATION TO BE MOUNTED ON FACADE OF ADDITION. SHALL BE ARRANGED & SHIELDED SO THAT NO MORE THAN 0.5 FT. CANDLES SHALL SPILL ACROSS PROPERTY LINE.
  3. ALL WORK TO BE PERFORMED WITHIN THE CITY OF WATERTOWN MARGIN WILL REQUIRE SIGN-OFF FROM A PROFESSIONAL ENGINEER, LICENSED & CURRENTLY REGISTERED TO PRACTICE IN THE STATE OF NEW YORK, THAT THE WORK WAS BUILT ACCORDING TO THE APPROVED SITE PLAN & APPLICABLE CITY OF WATERTOWN STANDARDS. COMPACTION TESTING WILL BE REQUIRED FOR ALL WORK TO BE PERFORMED WITHIN THE CITY OF WATERTOWN MARGIN & MUST BE SUBMITTED TO THE CITY OF WATERTOWN CODES DEPARTMENT.
  4. PARKING SPACE REQUIREMENTS:
    - 1 SPACE FOR EACH 1,000 SQ.FT. OF BUILDING AREA
    - 53 SPACES REQUIRED
    - 53 SPACES PROVIDED

**SITE, GRADING UTILITY & LANDSCAPE PLAN**  
SCALE 1"=20'

**THE BERNIER CARR GROUP**  
 BERNIER, CARR & ASSOCIATES, P.C. • MACH ARCHITECTURE + ENGINEERING, P.C.  
 engineers • architects • planners • surveyors • construction managers

**SITE, GRADING, UTILITY & LANDSCAPE PLAN**  
**CREDO COMMUNITY CENTER**  
**OUTPATIENT CLINIC**  
**ADDITIONS AND MODIFICATIONS**  
 Watertown - Jefferson County - State of New York


Revisions:  
 1)

THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE & NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES.


Drawn By JBE	Checked By MJC
Scale AS NOTED	Date 11-03-09
File No. 2008-096	
Sheet No.	

C1-102


PRINTED FOR BID




**CONCRETE DUMPSTER PAD DETAIL**  
NOT TO SCALE



**NEW INTEGRAL CONCRETE CURB AND SIDEWALK DETAIL**  
NOT TO SCALE




**SYMBOL OF ACCESSIBILITY**  
NOT TO SCALE




**TYPICAL ACCESSIBLE PARKING SPACE DETAIL**  
NOT TO SCALE


NOTE: 60' PARKING SPACES SHALL BE 9'-0" WIDE x 18'-6" LONG




**ASPHALT PAVEMENT DETAIL**  
NOT TO SCALE




**NEW CONCRETE CURB DETAIL**  
NOT TO SCALE




**LAWN AREA REPLACEMENT DETAIL**  
NOT TO SCALE



**TYPICAL CLAY BRICK PAVER DETAIL**  
NOT TO SCALE



**NEW VINYL PICKET FENCING DETAIL**  
NOT TO SCALE



POSTS: STEEL, EITHER "T" OR "U" TYPE OR HARDWOOD.


FENCE: WOVEN WIRE, 14 1/2 GA. 6" MAX. MESH OPENING

FILTER CLOTH: FILTER X, MIRAFI 100X, STABILUNKA T140N OR APPROVED EQUAL.


PREFABRICATED UNIT: GEOFAB, ENVIROFENCE OR APPROVED EQUAL.

- NOTES:
1. WOVEN WIRE FENCE TO BE FASTENED SECURELY TO FENCE POSTS WITH WIRE TIES OR STAPLES.
  2. FILTER CLOTH TO BE FASTENED SECURELY TO WOVEN WIRE FENCE WITH TIES SPACED EVERY 24" AT TOP AND MID SECTION.
  3. WHEN TWO SECTIONS OF FILTER CLOTH ADJOIN EACH OTHER THEY SHALL BE OVERLAPPED BY SIX INCHES AND FOLDED.
  4. MAINTENANCE SHALL BE PERFORMED AS NEEDED AND MATERIAL REMOVED WHEN BULGES DEVELOP IN THE SILT FENCE.

**SILT FENCE DETAIL**  
NOT TO SCALE



**DIRECT BURIED CONDUIT DETAIL**  
NOT TO SCALE



**CATCH BASIN DETAIL**  
NOT TO SCALE

THE BERNIER CARR GROUP

BERNIER, CARR & ASSOCIATES, P.C. • MACH ARCHITECTURE + ENGINEERING, P.C.

engineers • architects • planners • surveyors • construction managers



CREDIT COMMUNITY CENTER  
OUTPATIENT CLINIC  
ADDITIONS AND MODIFICATIONS

Waterloo - Jefferson County - State of New York

Revisions:  
1)

THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE & NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES.

Drawn By: JBE  
Checked By: MJC

Scale: AS NOTED  
Date: 11-03-09

File No. 2008-096

Sheet No. C1-103  
PRINTED FOR BID





**BASEMENT FLOOR PLAN**  
SCALE: 3/16" = 1'-0"

THE BERNIER CARR GROUP  
BERNIER, CARR & ASSOCIATES, P.C. • MACH ARCHITECTURE + ENGINEERING, P.C.  
engineers • architects • planners • surveyors • construction managers



BASEMENT FLOOR PLAN  
CREDO FOUNDATION INC.  
OUTPATIENT CLINIC  
ADDITIONS AND MODIFICATIONS  
Watertown - Jefferson County - State of New York


Revisions:  
1.) 5/19/2009

THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE & NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES.

Drawn By: B.N.T. Checked By: R.W.T.  
Scale: 3/16" = 1'-0" Date: 5-12-09  
File No. 2008-096

Sheet No.  
**A1-100**  
CITY SITE PLAN SUBMISSION

ALL RIGHTS RESERVED. REUSE OF THESE DOCUMENTS WITHOUT THE EXPRESS WRITTEN PERMISSION OF BERNIER, CARR & ASSOCIATES, P.C. IS PROHIBITED. THIS DRAWING IS THE PROPERTY OF BERNIER, CARR & ASSOCIATES, P.C. AND IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE, REPRODUCTION, OR ALTERATION OF THIS DRAWING WITHOUT THE WRITTEN PERMISSION OF BERNIER, CARR & ASSOCIATES, P.C. IS PROHIBITED. ARCHITECT, LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR TO ALTER THIS DRAWING, IF ALTERED SUCH AS A, P.E. OR L.S. SHALL ATX HIS OR HER SEAL, SIGNATURE, THE DATE, THE NOTE "ALTERED BY" AND A SPECIFIC DESCRIPTION OF THE ALTERATION.



**FIRST FLOOR PLAN**  
SCALE: 3/16" = 1'-0"



Revisions:  
1.) 5/19/2009


THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE & NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES.

Drawn By B.N.T.	Checked By R.W.T.
Scale 3/16"=1'-0"	Date 5-12-09
File No. 2008-096	


Sheet No.  
**A1-101**  
CITY SITE PLAN SUBMISSION

COPYRIGHT 2009 - BERNIER CARR & ASSOCIATES, P.C. ALL RIGHTS RESERVED. REUSE OF THESE DOCUMENTS WITHOUT THE EXPRESS WRITTEN PERMISSION OF BERNIER CARR & ASSOCIATES, P.C. IS PROHIBITED. THIS DOCUMENT IS THE PROPERTY OF BERNIER CARR & ASSOCIATES, P.C. AND IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE OR ALTERATION OF THIS DOCUMENT WITHOUT THE WRITTEN PERMISSION OF BERNIER CARR & ASSOCIATES, P.C. IS PROHIBITED. THE ARCHITECT, LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR TO ALTER THIS DRAWING, IF ALTERED SUCH AS A, P, E, OR L.S. SHALL ATX HIS OR HER SEAL, SIGNATURE, THE DATE, THE NOTE "ALTERED BY" AND A SPECIFIC DESCRIPTION OF THE ALTERATION.






1 ROOF EDGE ADDITION




- NOTES:
- SINGLE PLY EPDM MEMBRANE MUST BE FASTENED WITH SEAM FASTENERS PLATES NO MORE THAN 12" O.C. WHEN TAPERED INSULATION AT THE DRAIN SUMP IS GREATER THAN 3" TO THE HORIZ. FOOT CUT REIN. EPDM MEMBRANE EVEN WITH TOP EDGE OF THE DRAIN SUMP.
  - USE NON-REINFORCED EPDM MEMBRANE AS A SURFACE SPLICE AND EXTEND INTO DRAIN CLAMPING RING.
  - WHEN A SQUARE OR RECTANGULAR SECTION OF NON-REINFORCED EPDM MEMBRANE IS USED AS A SURFACE SPLICE, ROUND THE CORNERS OF THE NON-REINFORCED MEMBRANE FOR PROPER SPLICING.
  - LOCATE EDGE OF THE SURFACE SPLICE OUT OF THE DRAIN SUMP AT LEAST 6" IN ALL DIRECTIONS ONTO THE HORIZ. MEMBRANE.
  - INSULATION TAPER SHALL NOT BE STEEPER THAN 6" VERTICAL IN 12" HORIZONTAL.
  - ROOF DRAIN SIZE AND NUMBER OF DRAINS SHALL BE IN ACCORDANCE WITH LOCAL CODES.
  - FASTENERS AND PLATES ARE REQUIRED FOR MECHANICALLY-FASTENED ROOFING SYSTEMS ONLY.
  - 1/16" IN/FT SLOPE (TYPICAL)


2 NEW ROOF DRAIN ADDITION




3 ROOF CURB ADDITION



4 EXPANSION JOINT ADDITION



ROOF PLAN SCALE: 1/4" = 1'-0"



5 WALL FLASHING ADDITION



Revisions:  
 1.) 5/19/2009

THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE & NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES.


Drawn By: B.N.T. Checked By: R.W.T.  
 Scale: AS SHOWN Date: 5-12-09  
 File No. 2008-096

T.O. STEEL  
433'-4"

SECOND FL.  
421'-2"

FIRST FL.  
410'-5"

BASEMENT FL.  
400'-10"




**SOUTH ELEVATION (A)**  
SCALE: 1/8" = 1'-0"




**EAST ELEVATION (B)**  
SCALE: 1/8" = 1'-0"



**NORTH ELEVATION (C)**  
SCALE: 1/8" = 1'-0"



**WEST ELEVATION (D)**  
SCALE: 1/8" = 1'-0"



**KEY PLAN**  
NTS

**THE BERNIER CARR GROUP**  
BERNIER, CARR & ASSOCIATES, P.C. • MACH ARCHITECTURE + ENGINEERING, P.C.  
engineers • architects • planners • surveyors • construction managers

COPYRIGHT 2009 - BERNIER CARR & ASSOCIATES, P.C. ALL RIGHTS RESERVED. REUSE OF THESE DOCUMENTS WITHOUT THE EXPRESS WRITTEN PERMISSION OF BERNIER CARR & ASSOCIATES, P.C. IS PROHIBITED. THIS DOCUMENT IS THE PROPERTY OF BERNIER CARR & ASSOCIATES, P.C. AND IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE, REPRODUCTION, OR ALTERATION OF THIS DOCUMENT WITHOUT THE WRITTEN PERMISSION OF BERNIER CARR & ASSOCIATES, P.C. IS PROHIBITED. THE ARCHITECT, LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR TO ALTER THIS DRAWING, IF ALTERED SUCH AS A P.E. OR L.S. SHALL ATX HIS OR HER SEAL, SIGNATURE, THE DATE, THE NOTE "ALTERED BY" AND A SPECIFIC DESCRIPTION OF THE ALTERATION.



**EXTERIOR ELEVATIONS**  
**CREDO FOUNDATION INC.**  
**OUTPATIENT CLINIC**  
**ADDITIONS AND MODIFICATIONS**  
Watertown - Jefferson County - State of New York

Revisions:  
1.) 5/19/2009

THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE & NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES.

Drawn By B.N.T.	Checked By R.W.T.
Scale 1/8" = 1'-0"	Date 5-12-09
File No. 2008-096	
Sheet No.	

**A1-500**  
CITY SITE PLAN SUBMISSION